



Certificate of Analysis
Compliance Test

Client Information:

SUTHERLAND CBD
1420 BELKNAP ST
SUPERIOR, WI 54880

Batch # BSCBD25MG01082025
Batch Date: 2025-01-08
Extracted From: HEMP

Test Reg State: Florida

Production Facility: MBC
Production Date: 2025-01-07

Order # SUT250108-100001
Order Date: 2025-01-08
Sample # AAGH240

Sampling Date: 2025-01-13
Lab Batch Date: 2025-01-13
Completion Date: 2025-01-16

Initial Gross Weight: 106.100 g
Net Weight: 99.500 g

Number of Units: 1
Net Weight per Unit: 3316.667 mg



Potency
Tested

Product Image

Potency 10
Specimen Weight: 1501.000 mg

Tested
SOP13.001 (LCUV)

Total Active THC		Total Active CBD	
-	None Detected	0.674%	22.354 mg
Total CBG		Total CBN	
0.153%	5.075 mg	0.033%	1.095 mg
Total Cannabinoids			
0.887%		29.419 mg	

Pieces For Panel: 30

Analyte	LOD (mg/g)	LOQ (%)	Result (mg/g)	(%)	
CBD	5.40E-5	0.015	6.740	0.674	
CBG	2.48E-4	0.015	1.530	0.153	
CBN	1.40E-5	0.015	0.330	0.033	
CBC	1.80E-5	0.015	0.270	0.027	
CBDA	1.00E-5	0.015	<LOQ	<LOQ	
CBDV	6.50E-5	0.015	<LOQ	<LOQ	
CBGA	8.00E-5	0.015	<LOQ	<LOQ	
Delta-9 THC	1.30E-5	0.015	<LOQ	<LOQ	
THCA-A	3.20E-5	0.015	<LOQ	<LOQ	
THCV	7.00E-6	0.015	<LOQ	<LOQ	
Total Active CBD			6.740	0.674	
Total Active THC			<LOQ	<LOQ	

Aixia Sun Lab Director/Principal Scientist
D.H.Sc., M.Sc., B.Sc., MT (AAB)



Definitions and Abbreviations used in this report: Total Active CBD = CBD + (CBD-A * 0.877), *Total CBDV = CBDV + (CBDVA * 0.867), Total Active THC = THCA-A * 0.877 + Delta 9 THC, Total THC = THC + (THCVA * 0.87), CBG Total = (CBGA * 0.878) + CBG, CBN Total = (CBNA * 0.876) + CBN, Total CBC = CBC + (CBCA * 0.877), Total THC-O-Acetate = Delta 8 THC-O-Acetate + Delta 9 THC-O-Acetate, Total THCP = Delta8-THCP + Delta9-THCP, Total Cannabinoids = Total percentage of cannabinoids within the sample. (mg/ml) = Milligrams per Milliliter, LOQ = Limit of Quantitation, LOD = Limit of Detection, Dilution = Dilution Factor, (ppb) = Parts per Billion, (%) = Percent, (cfu/g) = Colony Forming Unit per Gram, (µg/g) = Microgram per Gram, (ppm) = Parts per Million, (ppm) = (µg/g), (aw) = Water Activity, (mg/Kg) = Milligram per Kilogram. ACS uses simple acceptance criteria. Passed - Analyte/microbe is not detected or is at the level below the action limit per FL rule 64ER20-39, 5K-4.036, 5K-4.034. Failed - Analyte/microbe is at the level that equal or above the action limit per FL rule 64ER20-39, 5K-4.036, 5K-4.034. The results apply to the sample as received.
This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard.